

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Establishment - Engineering - PH&ME Department - Sri G.L.Gokarna Sastry,
Superintending Engineer - Regularization of the waiting period of (193) days i.e., from
27.06.2016 to 05.01.2017 - Orders - Issued.

MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (C) DEPARTMENT

G.O.RT.No. 300

Dated: 17-04-2017

Read:-

From the Engineer-in-Chief, (PH), Letter No. 13244/CS1/2017,
Dated:11.01.2017.

ORDER:

In the circumstances reported by the Engineer-in-Chief(PH), Tadepalli, Guntur District in the reference read above, Government after careful examination of the matter, hereby order that the waiting period of (193) days i.e., from 27.06.2016 to 05.01.2017 in respect Sri G.L.Gokarna Sastry, Superintending Engineer is regularized as compulsory wait under FR 9 (6) (b).

2. The Engineer-in-Chief(PH), Tadepalli, Guntur District shall take necessary action accordingly.

3. This order issues with the concurrence of Finance (HR.IV) Department vide their U.O.No.33021/60/HR.IV/2017, Dt.06.04.2017.

[BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH]

**R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT**

To
The Engineer-in-Chief (Public Health),
Garuda Enclave, Tadepalli, Guntur District.
The individual through the Engineer-in-Chief(PH).

Copy to:

The Director of Treasuries & Accounts, AP., Vijayawada.
The Accountant General, AP., Hyderabad.
SF/SC

//Forwarded :: By Order//

SECTION OFFICER